



A Granning Group Brand



Road Springs Catalogue

EDITION

01

UNITED KINGDOM | IRELAND | NORTHERN IRELAND | POLAND



A Granning Group Brand

United Kingdom/

36-37 Melford Court
Hardwick Grange
Warrington, Cheshire
WA1 4RZ, England

Tel +44 (0) 1925 906 444 - *Spring Centre*

Tel +44 (0) 1925 810 400 - *General*

Fax +44 (0)1925 857 085

Ireland/

Naas Industrial Estate
Naas, Co. Kildare
Ireland

Tel +353 (0) 45 875 996

Fax +353 (0) 45 894 305

Northern Ireland/

Herdman Channel Road
(Off Duncrue Street)
Belfast, BT3 9BL
Northern Ireland

Tel +44 (0) 2890 740 055

Fax +44 (0) 2890 752 718

Poland/

ul. Pułtуска 112A
07-200 Wyszaków
woj. mazowieckie
Poland

Tel +48 (0) 29 753 1616

Fax +48 (0) 29 753 1604

Export/

Naas Industrial Estate
Naas, Co. Kildare
Ireland

Tel +353 (0) 45 848 690

Fax +353 (0) 45 894 305



Bus Springs

Dennis, Optare

LCV / Van Springs

Citroen, Fiat, Ford, Iveco

Jeep, Mercedes, Mitsubishi

Peugeot, Renault, Toyota, Volkswagen

Truck Springs

Daf, Dennis, Hino, Iveco, Man

Mercedes, Renault, Scania, Volvo

Trailer Springs / Spring Beams

BPW, Fruehauf, Gigant

Granning, Meritor / ROR

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie




A Granning Group Brand

Online Parts/ Catalogue/

visit www.airsprings.com

Airsprings.com has been developed to allow our clients to cross reference and quickly identify all parts in our product range.



www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616




Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie

Contents/



/01
Numerical &
Alphabetical Index




/5
Bus Springs



/7
LCV / Van Springs



/23
Truck Springs



/65
Trailer Springs / Beams




/71
Cross Reference List




Springs measurement reference:


3 Leaf Spring.




Double Drive Spring.



Eye-Eye Spring.



Trailing Arm / Spring Beam



www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Numerical &
Alphabetical Index

Numerical & Alphabetical Index/



Contents

Numerical Index.....	1
Alphabetical Index	4



A Granning Group Brand



Airsprings™ Part No	Page No.	Airsprings™ Part No	Page No.	Airsprings™ Part No	Page No.
11380	67	11465	17	12304	67
11381	67	11466	17, 21	13028	67
11408	15	11467	18	15103	68
11409	15	11468	18	15108	66
11410	15	11469	18	15109	66
11411	16	11865	26	15114	58
11422	9	11866	23	15115	58
11423	9	11868	25	15125	68
11424	9	11869	23	15146	59
11425	11	11870	23	15147	59
11426	10	11871	23	15199	65
11427	11	11872	10	15203	57
11428	11	11873	14	15206	58
11429	11	11874	18	15214	61
11430	12	11875	17	15216	65
11431	12	11876	68	15230	57
11450	14	11877	58	15232	5
11451	12	11878	14	15235	28
11452	13	11879	15	15236	65
11453	30	11880	9	15237	65
11454	13	11884	29	15238	42
11455	30	11886	21	15239	30
11456	13	11890	19	15240	26
11458	13	11891	19	15241	34
11459	14	11894	19	15242	33
11460	16, 21	11895	41, 44	15243	31
11462	16	11901	66	15244	38, 42
11463	16	11966	24	15245	40, 44, 46
11464	17	12135	67	15246	36





NUMERICAL INDEX

Airsprings™ Part No	Page No.
15247	38
15248	37
15250	50
15251	51
15252	47
15253	47, 49
15254	54
15255	61
15256	57, 59
15257	48
15258	60
15259	50
15381	29
15382	29
15384	61
15385	61
15390	29
15394	30
15399	26
15400	26
15402	27
15403	28
15405	27
15414	35
15445	50
15466	62
15467	62
15469	62
15471	60

Airsprings™ Part No	Page No.
15472	60
15473	60
15474	63
51094	7, 8, 20
51095	10
51096	10
51097	5
51110	5
51111	28
51112	28
51115	6
51116	6
51194	7, 8, 20
51195	7, 8, 20
51196	7, 8, 20
51197	22
51220	25
51221	24
51222	6
51223	5
51224	34
51225	34
51226	42
51227	37
51228	41, 45, 46
51229	39, 43
51230	38, 41
51231	35
51232	35

Airsprings™ Part No	Page No.
51233	52
51234	47, 49
51235	19
51236	47, 50
51237	62
51238	59
51239	35
51240	31
51241	31
51242	37
51243	53
51244	53
51245	66
51246	27
51247	25
51248	27
51249	24
51250	25
51251	24
51252	34
51253	33
51254	33
51255	12
51256	32
51257	32
51258	32
51259	32
51260	31
51263	33

www.airsprings.com





Airsprings™ Part No	Page No.	Airsprings™ Part No	Page No.	Airsprings™ Part No	Page No.
51264	40, 44	51295	55		
51265	39, 43, 45	51296	21		
51266	40, 43	51297	54, 63		
51267	40, 44	51298	55, 63		
51268	39, 43	51300	63		
51269	38, 41	54089	69		
51270	39, 42	54223	69		
51271	36				
51273	45, 46				
51274	36				
51275	36				
51276	37				
51278	48, 52				
51279	49, 52				
51280	48, 51				
51281	48, 51				
51282	49, 51				
51283	56				
51284	56				
51285	55				
51286	52				
51287	53				
51288	56				
51289	55				
51290	53				
51291	54				
51292	54				
51293	56				
51294	57				




Description	Page No.
B	
Bpw Trailer	65
C	
Citroen Van	7
D	
Daf Truck	23
Dennis Bus	5
Dennis Truck	28
F	
Fiat Van	8
Ford Van	9
Fruehauf Trailer	66
G	
Gigant Trailer	66
Granning Truck / Trailer	66
H	
Hino Truck	29
I	
Iveco Van	12
Iveco Truck	30
J	
Jeep LCV	14
M	
Man Truck	35
Mercedes Truck	47
Mercedes Van	15
Meritor / ROR Trailer	68
Mitsubishi LCV	19

Description	Page No.
O	
Optare Bus	6
P	
Peugeot Van	20
PSV - Metrocab	22
R	
Renault Truck	52
Renault Van	21
S	
Scania Truck	57
T	
Toyota Van	21
V	
Volkswagen Van	21
Volvo Truck	59






Bus Springs/




Contents


Dennis.....	5
Optare	6



Application	Replaces OE: 419364 27088801							Bush Dia 20mm
DENNIS Dart								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51110	Rear	1	100	800	632	50	M12	-

Application	Replaces OE: 419392 PDEF038							Bush Dia 20mm
DENNIS Dart / Elite								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51097	Front	1	90	618	70	32	-	-

Application	Replaces OE: 434557							Bush Dia 22mm
DENNIS Dart, Eviro								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51223	Rear	1	100	802	632	48	-	15328A

Application	Replaces OE: 409768							
DENNIS Dart, Javelin								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15232	Rear	3	90	-	-	-	M12	15332A

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie




BUS SPRINGS


DENNIS, OPTARE



BUS

Application	Replaces OE: 245987							
DENNIS Javelin								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51222	Rear	2	90	827	827	44	M12	-

Application	Replaces OE: R5800002B							
OPTARE	 Bush Dia 30mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51115	Front	1	80	760	70	45	-	-

Application	Replaces OE: L5900005							
OPTARE	 Bush Dia 30mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51116	Front	1	100	856	350	60	M16	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



LCV / VAN





A Granning Group Brand

LCV / Van Springs/



Contents

Citroen.....	7
Fiat.....	8
Ford.....	9
Iveco.....	12
Jeep.....	14
Mercedes.....	15
Mitsubishi.....	19
Peugeot.....	20
Renault.....	21
Toyota.....	21
Volkswagen.....	21
PSV - Metrocab.....	22



Application	Replaces OE:								Bush Dia 16mm
CITROEN Relay Mk2 (2006-2014)	5102A8 5102C0 5102C1 1350080080								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit	
				A	B				
51094	Rear	1	70	715	715	22	M10	15281A	

Application	Replaces OE:								Bush Dia 16mm
CITROEN Relay Mk2 (2006-2014)	5102A8 HD 5102C0 HD 5102C1 HD 1350080080HD								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit	
				A	B				
51194	Rear	2	70	715	715	36	M10	15281A	

Application	Replaces OE:								Bush Dia 16mm
CITROEN Relay Mk1 (1994-2006)	1310121080 1311825080								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit	
				A	B				
51195	Rear	1	80	715	715	17	M10	15327A	

Application	Replaces OE:								Bush Dia 16mm
CITROEN Relay Mk1 (1994-2006)	1310121080HD 1311825080HD								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit	
				A	B				
51196	Rear	2	80	715	715	34	M10	15327A	

P - Packer; SP - Shocker Plate

www.airsprings.com


Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





LCV / VAN SPRINGS


FIAT



Application	Replaces OE: 1329806080 1350080080 								Bush Dia 16mm
FIAT Ducato Mk3 (2006-2014)									
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit	
				A	B				
51094	Rear	1	70	715	715	22	M10	15281A	

Application	Replaces OE:							Bush Dia
FIAT Ducato Mk3 (2006-2014)	1329806080HD							16mm
	1350080080HD							
								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51194	Rear	2	70	715	715	36	M10	15281A

Application	Replaces OE:							Bush Dia
FIAT Ducato Mk2 (1994-2006)	1310121080							16mm
	1311825080							
								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51195	Rear	1	80	715	715	17	M10	15327A

Application	Replaces OE:						Bush Dia	
FIAT Ducato Mk2 (1994-2006)	1310121080HD						16mm	
	1311825080HD							
								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51196	Rear	2	80	715	715	34	M10	15327A

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 92VB5560GA 95VB5560GA 73285517 07328517							Bush Dia 18/16mm
FORD Transit Mk5 (1995-2000)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11880	Rear	2+1	60	693	677	39	M10	15324A

Application	Replaces OE:							Bush Dia 16/14mm
FORD Transit Mk6 (2000-2006)	YC155560UL							
	YC155560UK							
	YC155560MK							
	YC155560VH							
	4123420							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11423	Rear	2+1	60	697	683	55	M10	15322A

Application	Replaces OE:							Bush Dia 16/14mm
FORD Transit Mk7 (2006-2013)	6C115560YF							
	6C115560YB							
	1684758							
	1721808							
	1788920							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11422	Rear	1+1	76	694	674	41	M10	15280A

Application	Replaces OE:							Bush Dia 16/14mm
FORD Transit Mk7 (2006-2013)	6C115560NA 6C115560NB 6C115560NC 6C115560ND 1512417 							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11424	Rear	1+1	60	694	674	44	M10	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





LCV / VAN SPRINGS


FORD



Application	Replaces OE:							Bush Dia 16/14mm
FORD Transit Mk7 (2006-2013)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11872	Rear	1	76	695	675	23	-	15280A

Application	Replaces OE:							Bush Dia 16/14mm
FORD Transit Mk7 (2006-2013)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51095	Rear	1+1	76	694	674	39	M10	15280A

Application	Replaces OE:							Bush Dia 16/14mm
FORD Transit Mk7 (2006-2013)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51096	Rear	2+1	76	694	674	54	M10	15280A

Application	Replaces OE:							Bush Dia 16/14mm
FORD Transit Mk8 (2013-)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11426	Rear	1	76	690	680	17	-	-

P - Packer; SP - Shocker Plate

www.airsprings.com



10



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: BK315560ME							
FORD Transit Mk8 (2013-)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11427	Rear	1+1	76	700	680	40	M10	-

Application	Replaces OE: BK315560HE							
FORD Transit Mk8 (2013-)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11428	Rear	2+1	76	700	680	55	M10	-

Application	Replaces OE: BK315560EE							
FORD Transit Mk8 (2013-)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11429	Rear	2	76	695	685	40	-	-

Application	Replaces OE: UR7628L10B 6M345560EB 1486845							
FORD Ranger MAZDA 4x4 (2006-2012)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11425	Rear	3+2	60	580	740	52	M10	-

P - Packer; SP - Shocker Plate

www.airsprings.com


Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





LCV / VAN SPRINGS

FORD, IVECO



Application	Replaces OE:							Bush Dia 16 / 18 rubber
FORD Ranger MAZDA 4x4 (2006-2012)								
Replaces OE:		XM345560BE UH7428L10A 1351188 1416189 4097139						
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11430	Rear	3+2	60	530	670	46	M10	15321A

Application	Replaces OE:							Bush Dia 14 / 20 rubber
FORD Ranger MAZDA 4x4 (2012-onwards)								
Replaces OE:		AB395B669FH						
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11431	Rear	3+2	60	580	740	60	M10	-

Application	Replaces OE:							Bush Dia 16mm
IVECO Daily II 45, 49								
Replaces OE:		93812312 98616125						
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51255	Rear	9	60	700	715	81	M10	15323A

Application	Replaces OE:							Cam 165mm Bush Dia 16mm
IVECO Daily II, II, IV 35C								
Replaces OE:		93815209 504048791 504049624						
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11451	Rear	4+2	60	700	715	66	M10	15323A

P - Packer; SP - Shocker Plate

www.airsprings.com



12



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE:							
IVECO Daily III 60C, 65C	500313833 504119033 504194170 500363955							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11452	Rear	4+2	70	700	715	88	M10	15326A

Application	Replaces OE:							
IVECO Daily III, IV 35S	500389147 504015134 504027746							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11454	Rear	1	80	750	750	24	M10	15320A

Application	Replaces OE:							Cam 172mm Bush Dia 16mm
IVECO Daily III, IV 35C	93809566							
	504048792							
	504049625							
	504119087							
	504131201							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Tickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11456	Rear	4+2	60	700	715	66	M10	15323A

Application	Replaces OE:							Bush Dia 16mm
IVECO Daily III, IV 35S	500359935							
	500364676							
	500377687							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Tickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11458	Rear	1	80	750	750	23	M10	15320A

P - Packer; SP - Shocker Plate

www.airsprings.com


Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



LCV / VAN SPRINGS

IVECO, JEEP



Application	Replaces OE:							Bush Dia 16mm
IVECO Daily III, IV 35S	500359935HD 500364676HD 500377687HD							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11459	Rear	2	80	750	750	50	M10	-

Application	Replaces OE:							
IVECO Daily IV 35C	504006739 500340499 500389157 504279571							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11450	Front	1	80	1365	-	20	-	-

Application	Replaces OE:							Bush Dia 16/14mm
IVECO Daily IV, V 29L, 35S	504083608 504083610							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11873	Rear	1	80	750	750	23	M10	-

Application	Replaces OE:							Bush Dia 14mm
JEEP Cherokee XJ (1984-2001)	52000544MA							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11878	Rear	5	63	584	727	37	M8	-

P - Packer; SP - Shocker Plate



www.airsprings.com




Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 4886186AB 56022134MA  Bush Dia 14mm							
JEEP Cherokee XJ (1984-2001)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11879	Rear	4	63	587	727	30	M8	-

Application	Replaces OE: 9033200001 							
MERCEDES Sprinter 901, 902								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11408	Front	2	110	650	650	24	-	-

Application	Replaces OE: 9043200201 9043200301 9043200401 							
MERCEDES Sprinter 902, 903, 904								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11409	Front	2	100	650	650	26	-	15285A

Application	Replaces OE: 9033200401 							
MERCEDES Sprinter 903								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11410	Front	1	110	650	650	15	-	15285A

P - Packer; SP - Shocker Plate

www.airsprings.com


Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie




LCV / VAN SPRINGS


MERCEDES



Application	Replaces OE:							
MERCEDES Sprinter 903	9033200406 9033200506 							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11411	Rear	1	70	740	753	25	-	15285A

Application	Replaces OE:							
MERCEDES Sprinter 903	9033200606 9033200706 							
								Bush Dia 12mm
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11460	Rear	1+1	70	740	753	38	M10	15285A



Application	Replaces OE:							
MERCEDES Sprinter 903	9033201706 							
								Bush Dia 12mm
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11462	Rear	1	70	740	753	25	-	15285A

Application	Replaces OE:							
MERCEDES Sprinter 903	9033201806 							
								Bush Dia 12mm
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11463	Rear	1+1	70	740	753	39	M10	15285A

P - Packer; SP - Shocker Plate

www.airsprings.com





Application	Replaces OE: 9033200706HD							
MERCEDES Sprinter 903								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11464	Rear	2+1 HD	70	740	753	25	-	15285A

Application	Replaces OE: 9033201806HD							
MERCEDES Sprinter 903								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11465	Rear	2+1 HD	70	740	753	39	M10	15285A

Application	Replaces OE: 9043201606							
MERCEDES Sprinter 904								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11875	Rear	2+1	70	740	750	55	M10	15285A

Application	Replaces OE: 9063200206							
MERCEDES Sprinter 906								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11466	Rear	2+1	70	740	753	62	M10	15285A

P - Packer; SP - Shocker Plate

www.airsprings.com


Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



LCV / VAN SPRINGS

MERCEDES



Application	Replaces OE: 9063201706							Bush Dia 12mm
MERCEDES Sprinter 906								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11467	Rear	1+1	70	740	753	40	M10	15285A

Application	Replaces OE: 9063201706HD							
MERCEDES Sprinter 906								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11468	Rear	2+1 HD	70	740	753	40	M10	15285A

Application	Replaces OE: 9063201806HD							Bush Dia 12mm
MERCEDES Sprinter 906								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11469	Rear	2 HD	70	740	753	35	M10	15285A

Application	Replaces OE: 9063201806							
MERCEDES Sprinter 906								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11874	Rear	1	70	740	753	25	M10	15285A

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 6673203702							Bush Dia 30mm
MERCEDES Vario								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51235	Front	2+P	70	660	890	48	M10	-

Application	Replaces OE: MR353454 ADC48807							Bush Dia 14/16mm
MITSUBISHI L-200 K6_T, K7_T (96-07) KA_T, KB_T (05-15)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11890	Rear	4+1	70	515	685	39	M10	15282A

Application	Replaces OE: MR267745 MR353079 MR353084 MR448147 353082							
MITSUBISHI L-200 K6_T, K7_T (96-07)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11891	Rear	4+2	70	515	685	49	M10	15282A

Application	Replaces OE: ML103341							Bush Dia 28mm
MITSUBISHI Canter								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11894	Rear	6+P+4	70	625	625	123	M12	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





LCV / VAN SPRINGS


PEUGEOT



Application	Replaces OE:  Bush Dia 16mm							
PEUGEOT Boxer Mk3 (2006-2014)	5102A8 5102C0 5102C1 1350080080							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51094	Rear	1	70	715	715	22	M10	15281A

Application	Replaces OE:  Bush Dia 16mm							
PEUGEOT Boxer Mk3 (2006-2014)	5102A8HD 5102C0HD 5102C1HD 1350080080HD							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51194	Rear	2	70	715	715	36	M10	15281A

Application	Replaces OE:  Bush Dia 16mm							
PEUGEOT Boxer Mk2 (1994-2006)	1310121080 1311825080							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51195	Rear	1	80	715	715	17	M10	15327A

Application	Replaces OE:  Bush Dia 16mm							
PEUGEOT Boxer Mk2 (1994-2006)	1310121080HD 1311825080HD							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51196	Rear	2	80	715	715	34	M10	15327A

P - Packer; SP - Shocker Plate



www.airsprings.com




Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 7700314662 8200812456							Bush Dia 16 / 14mm
RENAULT Master II								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51296	Rear	1	70	715	715	22	M10	-

Application	Replaces OE: 48210-35881M							
TOYOTA Hilux								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11886	Rear	4+2	60	570	735	56	M10	-

Application	Replaces OE: 2D0511131AN							Bush Dia 12mm
VOLKSWAGEN Crafter / LT (2006-)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11460	Rear	1+1	70	740	753	38	M10	15285A

Application	Replaces OE: 2E0511131B							
VOLKSWAGEN Crafter / LT (2006-)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11466	Rear	2+1	70	740	753	62	M10	15285A

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



LCV / VAN SPRINGS

PSV Metrocab



Application	Replaces OE: A71900270P50							
PSV Metrocab London TAXI								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51197	Rear	2	56	675	519	26	M10	-

LCV / VAN

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie




TRUCK



A Granning Group Brand

Truck Springs/






Contents

Daf	23
Dennis.....	28
Hino.....	29
Iveco.....	30
Man.....	35
Mercedes	47
Renault	52
Scania.....	57
Volvo.....	59





A Granning Group Brand



Application	Replaces OE:							Bush Dia 16mm
DAF LF45								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11871	Rear	1+1	75	875	875	74	M12	-

Application	Replaces OE:							
DAF LF45, LF E-6								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11866	Rear	1	75	870	870	34	M12	15338A

Application	Replaces OE:							Bush / Pin Dia 16 / 16mm
DAF LF45, LF E-6								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11869	Rear	2	75	555	820	58	M12	-

Application	Replaces OE:							Bush Dia 16mm
DAF LF45, LF E-6								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11870	Front	1	75	950	950	30	-	15287A

P - Packer; SP - Shocker Plate

www.airsprings.com


Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


DAF



Application	Replaces OE: 1401668HD 1700738HD 							
DAF LF45, LF E-6								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11966	Rear	2	75	870	870	34	M12	15338A

Application	Replaces OE: 1700741 							
DAF LF45, LF55, LF E-6								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51221	Rear	2+1	75	815	656	101	M12	15266A

Application	Replaces OE: 1401525 1700732 							
DAF LF55								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51249	Front	2	75	950	950	56	M12	-

Application	Replaces OE: 1406446 1405677 1406446 1700740 AFRG959 							
DAF LF55, LF E-6								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51251	Rear	2+1	75	950	950	104	M12	-

P - Packer; SP - Shocker Plate



www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE:							
DAF LF55, LF E-6 CF65, CF E-6	1408984 1700736 AFRG963							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51250	Rear	2+1	90	950	950	99	M12	-

Application	Replaces OE:							
DAF LF55, LF E-6 CF65	1406254 1700737 ACHF862 AFRG965							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11868	Rear	2+1	90	810	965	99	M12	15266A

 Bush Dia
18mm

Application	Replaces OE:							
DAF LF45, LF55, LF E-6 CF65, CF E-6	1405329 1700731							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51220	Front	2	90	935	935	58	M12	15261A

Application	Replaces OE:							
DAF CF75, CF85, XF95	1382745 1693877							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51247	Front	3	80	900	900	100	M12	15262A

P - Packer; SP - Shocker Plate

www.airsprings.com


Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


DAF



Application	Replaces OE:							Bush Dia 24mm
DAF CF75, CF85 XF95, XF105								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15240	Front	2	80	900	900	66	M12	15262A

Application	Replaces OE:							Bush Dia 24mm
DAF CF65, CF75, CF85 XF95, XF105								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15399	Front	2	80	900	900	65	M12	15262A

Application	Replaces OE:							Takes Elephants Feet
DAF CF75, CF85, CF E-6 XF105								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11865	Rear	6	90	815	815	166	M16	15265A

Application	Replaces OE:							
DAF CF75, CF85, CF E-6 XF95, XF105, XF E-6								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15400	Rear	6	90	780	780	184	M16	15336A

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
 UK +44 (0) 1925 810 400
 NI +44 (0) 2890 740 055
 Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
 UK sales@granninglynx.com
 NI sales@granninglynx.co.uk
 Poland biuro@granning.ie



Application	Replaces OE:		Takes Elephants Feet					
DAF CF75, CF85, CF E-6 XF95, XF105	1690223 1901924							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51248	Rear	6	90	810	810	174	M16	15336A

Application	Replaces OE:							
DAF CF75, CF85, CF E-6 XF95, XF105 FAS / FAT series	1901921 667198 672288							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15405	Rear	6	90	780	780	167	M16	15265A

Application	Replaces OE:							
DAF 65CF, 75CF, F65	1291234							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51246	Rear	2+2	100	900	1000	138	M12	-

Application	Replaces OE:							
DAF 75CF, 85CF, 95XF FAD85, FAT85	1258691							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15402	Front	2+P	80	875	875	115	M12	15288A

 Bush Dia
26mm

P - Packer; SP - Shocker Plate

www.airsprings.com


Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie




TRUCK SPRINGS


DAF, DENNIS



Application	Replaces OE: 1279672							
DAF F85, FAT75, XF95								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15403	Front	2+P	80	900	900	93	M12	15288A

Application	Replaces OE: 805958 824538 820500							
DENNIS ELITE								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15235	Front	2	-	730	730	-	-	15276A

Application	Replaces OE:							Overslung
DENNIS ELITE	812379							Bush Dia
	820499							32mm
								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51111	Rear	14	76	762	559	189	-	15329A

Application	Replaces OE:							Underslung
DENNIS	812380							Bush Dia
	820498							32mm
								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51112	Rear	14	76	770	570	181	-	15329A

P - Packer; SP - Shocker Plate



www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Top leaf to suit: 15390							
HINO 700 Series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11884	Rear	1 st Leaf Only	-	-	-	-	-	-

Application	Replaces OE: 481100030							
HINO 700 Series	 8 x 4 1 st Steer Axle Bush Dia 30mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15381	Front	3	90	850	850	80	M14	15284A

Application	Replaces OE: 481100040							
HINO 700 Series	 8 x 4 2 nd Steer Axle Bush Dia 30mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15382	Front	3+P+SP	90	830	750	106	M14	15284A

Application	Replaces OE: 482204911							
HINO 700 Series	 6 x 4, 8 x 4							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15390	Rear	11	90	750	750	198	M16	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


HINO, IVECO



Application	Replaces OE: 481207500  Bush Dia 30mm							
HINO 700 Series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15394	Front	8+SP+P	90	750	750	148	M14	-

Application	Replaces OE: 98401526 99445128 504067123  Bush Dia 16mm							
IVECO Eurocargo 75E-100E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11453	Rear	4+3	70	835	835	114	M12	15325A

Application	Replaces OE: 98401395 99445125  Bush Dia 16mm							
IVECO Eurocargo 75E-100E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11455	Rear	2+1+P	70	835	835	108	M12	15325A

Application	Replaces OE: 504010276 							
IVECO Eurocargo 75E-100E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15239	Rear	1+1+P	70	835	835	98	M12	-

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616




Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie




Application	Replaces OE:							
IVECO Eurocargo 75E-100E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51240	Front	6	70	857	857	78	M12	-

Application	Replaces OE:							
IVECO Eurocargo 75E-100E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51241	Front	2+P	70	857	857	72	M12	15273A

Bush Dia
15mm

Application	Replaces OE:							
IVECO Eurocargo 75E-100E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51260	Front	1+P	70	857	857	68	M12	-

Bush Dia
18mm

Application	Replaces OE:							
IVECO Eurocargo 100E-260E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15243	Front	6+P+SP+P	80	880	880	123	M12	15273A

Bush Dia
20mm

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie




TRUCK SPRINGS


IVECO



Application	Replaces OE:							Bush Dia 19mm
IVECO Eurocargo 120E-140E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51256	Front	2	80	879	879	54	M12	-

Application	Replaces OE:							Bush Dia 20mm
IVECO Eurocargo 120E-140E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51257	Rear	2+1	80	840	840	96	M12	-

Application	Replaces OE:							Bush Dia 20mm
IVECO Eurocargo 120E-140E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51258	Front	6	80	880	880	85	M12	-

Application	Replaces OE:							Bush Dia 20mm
IVECO Eurocargo 120E-140E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51259	Rear	P+5+P+11	80	840	840	209	M12	-

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 04853848 504354225							
IVECO Eurocargo 130E-150E	 Bush Dia 20mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51263	Front	3+1	70	840	840	123	M12	-

Application	Replaces OE: 98413941 504354073							
IVECO Eurocargo Eurotech 150E-180E								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15242	Rear	7+P+11	80	840	840	230	M12	15277A

Application	Replaces OE: 98404951 504354032							
IVECO Eurocargo Eurotech 170E-180E, 400E	 Bush Dia 20mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51254	Rear	3+1	80	840	840	125	M12	-

Application	Replaces OE: 08189829							
IVECO Eurostar Eurotech 180E-260E, 400E-440E	 Bush Dia 18mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51253	Front	3	90	950	950	80	M14	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


IVECO



Application	Replaces OE:							8 x 4 Bush Dia 20mm
IVECO Eurotech Eurotrakker 180E-260E	08161628							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51252	Front	3	90	950	950	89	M14	-

Application	Replaces OE:							8 x 4 Bush Dia 20mm
IVECO Eurotrakker 190T-380T	08169109 41213084							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15241	Front	3	90	950	950	95	M14	-

Application	Replaces OE:							6 x 4 8 x 4
IVECO Eurotrakker 260E-440E	42126922 42126923							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51225	Rear	3+1+1	100	730	730	146	M16	15337A

Application	Replaces OE:							6 x 4 8 x 4
IVECO Eurotrakker 330E-720E	42126135							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51224	Rear	3+1	100	730	730	151	M16	15337A

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE:							
IVECO Stralis								
Replaces OE:								
41213904 41036073 41213881 41297740 41284178								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51239	Front	2	90	950	945	64	M14	-

Application	Replaces OE:							
MAN L2000 7.5-12T								
Replaces OE:								
81434006906 81434006992 81434006994								
		Bush Dia 16mm						
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51231	Rear	2+1+P	80	800	800	100	M12	15332A

Application	Replaces OE:							
MAN L2000 7.5-12T								
Replaces OE:								
81434026533								
		Bush Dia 16mm						
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51232	Rear	3+1	80	800	800	119	M12	15332A

Application	Replaces OE:							
MAN L2000 8T								
Replaces OE:								
81434026053 81434026056								
		Bush Dia 16mm						
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15414	Front	2	80	825	825	46	M12	15274A

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



TRUCK SPRINGS

MAN



Application	Replaces OE:							
MAN L Series 11T	81434026576 81434026577 81434026696 81434026697 81434026698							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51271	-	1	80	800	525	46	-	-

Application	Replaces OE:							
MAN TGL 7-10T	85434026010 85434026022 85434026030							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51275	Rear	1	80	845	845	38	-	-

Bush Dia
15mm

Application	Replaces OE:							
MAN TGL 7.5T-12T	81434026626 81434026625 81434026627							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15246	Rear	1+1+P	80	850	850	97	M12	15332A

Bush Dia
16mm

Application	Replaces OE:							
MAN TGL 8T	85434026004 85434026014 85434026017							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51274	Front	2	90	850	875	53	M12	-

Bush Dia
18mm

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 81434026622 81434026623 81434026624							Bush Dia 16mm
MAN TGL 8-12T 8-12T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51227	Rear	2+1+P	80	850	850	111	M12	15331A

Application	Replaces OE: 85434026020 85434026021 85434026029							Bush Dia 18mm
MAN TGL 10T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51276	Front	1	90	850	875	29	-	-

Application	Replaces OE: 81434026519 81434026555							Bush Dia 19mm
MAN TGL 12T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51242	Rear	2+1+P	80	900	900	119	M12	15278A

Application	Replaces OE: 85434026034 85434026035 85434026039 85434026049 85434026055							Bush Dia 20mm
MAN TGM 18T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15248	Front	2	90	925	925	66	M16	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


MAN



Application		Replaces OE:							Bush Dia 20mm
MAN TGM 18T		85434026037 85434026038 85434026040 85434026047 85434026054							
	Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
					A	B			
	15247	Rear	2+1	80	910	890	110	M12	-

Application		Replaces OE:					Bush Dia 20mm	
MAN TGM 18T		81434026539 81434026529 81434026518						
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51230	Rear	2+1+P	80	900	900	134	M12	15330A

Application		Replaces OE: 81434026541					4 x 4 Gritter Bush Dia 20mm	
MAN TGM 18T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51269	Rear	3+1+P	80	900	900	158	M16	-

Application	Replaces OE: 81434026122							
MAN TGM 18-26T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15244	Front	3	80	875	875	81	M12	15275A

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 81434026540 81434026544 81434026554							 Bush Dia 20mm
MAN TGM 18-35T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51270	Rear	P+8+P+7	80	900	900	249	M12	-

Application	Replaces OE: 81434026185 81434026192 81434026217 81434026225 81434026349							 8 Tonne Axle Bush Dia 22mm
MAN TGM 26T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51265	Front	3	90	925	925	86	M16	-

Application	Replaces OE: 81434026203 81434026206 81434026207							 Bush Dia 20mm
MAN TGM 26T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51229	Front	3	90	875	875	78	M12	-

Application	Replaces OE: 81434026531 81434026525							
MAN TGM 26-32T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51268	Rear	12	80	900	625	187	M12	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


MAN



Application	Replaces OE: 81434026264 81434026263 81434026265 81434026311							7.5 Tonne Axle 8 x 4
MAN TGM 32-35T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51266	Front	2	90	925	735	67	M16	-

Application	Replaces OE: 81434026175 81434026177 81434026179							8 x 4 Bush Dia 24mm
MAN TGM 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51264	Front	4+SP+P	90	900	700	118	M16	-

Application	Replaces OE: 81434026293 81434026291 81434026346 81434026350 81434026292							8 x 4 8 Tonne Axle Bush Dia 24mm
MAN TGM 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51267	Front	3	90	925	735	85	M16	-

Application	Replaces OE: 81434026612 81434026613 81434026641 81434026740 81434026755							6 x 4 8 x 4 Do not take Elephant Feet
MAN TGM 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15245	Rear	2+1	100	825	825	108	M18	-

P - Packer; SP - Shocker Plate



www.airsprings.com




Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE:						16 Tonne Axle		
MAN TGM 32-40T	81434026602						6 x 4		
	81434026739						8 x 4		
	81434026747						Takes		
	81434026752						Elephants Feet		
	81434026681								
Airsprings™ Part No		Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
					A B				
11895		Rear	3+2	100	825 825		195	M18	-

Application	Replaces OE: 81434026683						8 x 4	
MAN TGM 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51228	Rear	11	100	825	825	235	M18	15334A

Application		Replaces OE:						Bush Dia 20mm
MAN TGA 18T	81434026539							
	81434026529							
	81434026518							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51230	Rear	2+1+P	80	900	900	134	M12	15330A

Application		Replaces OE: 81434026541				4 x 4 Gritter Bush Dia 20mm		
MAN TGA 18T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51269	Rear	3+1+P	80	900	900	158	M16	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


MAN



Application	Replaces OE: 81434026276 81434026277 81434026304 81434026305 81434026334							
MAN TGA 18-26T	 8 Tonne Axle Bush Dia 24mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15238	Front	2	90	925	925	66	M16	-

Application	Replaces OE: 81434026122							
MAN TGA 18-26T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15244	Front	3	80	875	875	81	M12	15275A

Application	Replaces OE: 81434026142 81434026143 81434026144 81434026145							
MAN TGA 18-26T	 8 Tonne Axle Bush Dia 24mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51226	Front	3+SP	90	900	900	104	M16	-

Application	Replaces OE: 81434026540 81434026544 81434026554							
MAN TGA 18-35T	 Bush Dia 20mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51270	Rear	P+8+P+7	80	900	900	249	M12	-

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616




Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 81434026185 81434026192 81434026217 81434026225 81434026349							8 Tonne Axle Bush Dia 22mm
MAN TGA 26T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51265	Front	3	90	925	925	86	M16	-

Application	Replaces OE: 81434026203 81434026206 81434026207							Bush Dia 20mm
MAN TGA 26T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51229	Front	3	90	875	875	78	M12	-

Application	Replaces OE: 81434026531 81434026525							
MAN TGA 26-32T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51268	Rear	12	80	900	625	187	M12	-

Application	Replaces OE: 81434026264 81434026263 81434026265 81434026311							7.5 Tonne Axle 8 x 4
MAN TGA 32-35T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51266	Front	2	90	925	735	67	M16	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



TRUCK SPRINGS

MAN



Application	Replaces OE: 81434026175 81434026177 81434026179							8 x 4 Bush Dia 24mm
MAN TGA 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51264	Front	4+SP+P	90	900	700	118	M16	-

Application	Replaces OE: 81434026293 81434026291 81434026346 81434026350 81434026292							8 x 4 8 Tonne Axle Bush Dia 24mm
MAN TGA 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51267	Front	3	90	925	735	85	M16	-

Application	Replaces OE: 81434026612 81434026613 81434026641 81434026740 81434026755							6 x 4 8 x 4 Do not take Elephant Feet
MAN TGA 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15245	Rear	2+1	100	825	825	108	M18	-

Application	Replaces OE: 81434026602 81434026739 81434026747 81434026752 81434026681							16 Tonne Axle 6 x 4 8 x 4 Takes Elephants Feet
MAN TGA 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11895	Rear	3+2	100	825	825	195	M18	-

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 81434026683		 8 x 4					
MAN TGA 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51228	Rear	11	100	825	825	235	M18	15334A

Application	Replaces OE: 85434026002							
MAN TGA 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51273	Rear	13	80	900	625	195	M12	-

Application		Replaces OE: 81434026541		 4 x 4 Gritter				
MAN TGX 18T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51269	Rear	3+1+1	80	900	900	158	M16	-

Application	Replaces OE:					8 Tonne Axle		
MAN TGX 26T	81434026185							
	81434026192							
	81434026217							
	81434026225							
	81434026349							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51265	Front	3	90	925	925	86	M16	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


MAN



Application	Replaces OE: 81434026293 81434026291 81434026346 81434026350 81434026292							
MAN TGX 32-40T	 8 x 4 8 Tonne Axle							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51267	Front	3	90	925	735	85	M16	-

Application	Replaces OE: 81434026612 81434026613 81434026641 81434026740 81434026755							
MAN TGX 32-40T	 6 x 4 8 x 4 Do not take Elephant Feet							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15245	Rear	2+1	100	825	825	118	M18	-

Application	Replaces OE: 81434026683							
MAN TGX 32-40T	 8 x 4							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51228	Rear	11	100	810	810	235	M18	15334A

Application	Replaces OE: 85434026002							
MAN TGA 32-40T								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51273	Rear	13	80	900	625	195	M12	-

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 9703200702 9703200802							Bush Dia 16mm
MERCEDES Atego								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15252	Front	1	80	860	940	32	M12	15274A

Application	Replaces OE: 0003200202 3753201002						7.5 Tonne Axle Bush Dia 24mm	
MERCEDES Atego								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15253	Front	2	90	900	900	60	M14	15260A

Application	Replaces OE:							7.1 Tonne Axle
MERCEDES Atego	0003200102							Bush Dia
	3753201702							24mm
								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51234	Front	2	90	900	900	58	M14	15260A

Application	Replaces OE:							Bush Dia 19mm
MERCEDES Atego	9743200402							
	9743200502							
	9743202402							
	9743202502							
	9743204402							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51236	Front	2	80	860	940	60	M12	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


MAN



Application	Replaces OE: 8 x 4 1 st Steer Axle 9493200202 3753202002 Bush Dia 24mm 							
MERCEDES Atego								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51280	Front	3	90	900	680	79	M14	15260A

Application	Replaces OE: 8 x 4 2 nd Steer Axle 9493200302 Bush Dia 24mm 							
MERCEDES Atego								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51281	Front	3	90	780	800	79	M14	15260A

Application	Replaces OE: Bush Dia 19mm 9703200706 9703200806 							
MERCEDES Atego								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15257	Rear	1+1	80	800	800	59	M12	15278A

Application	Replaces OE: Bush Dia 24mm 9433200108 							
MERCEDES Atego								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51278	Rear	2+1	100	900	885	99	M18	-

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 9743200206 9743200306  Bush Dia 22mm							
MERCEDES Atego								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51282	Rear	2+1	80	850	850	103	M14	-

Application	Replaces OE: 9483201505 9483203105 							
MERCEDES Atego								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51279	Rear	4	100	780	780	156	M18	-

Application	Replaces OE: 0003200202 3753201002  7.5 Tonne Axle Bush Dia 24mm							
MERCEDES Actros, Axor								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15253	Front	2	90	900	900	60	M14	15260A

Application	Replaces OE: 0003200102 3753201702  7.1 Tonne Axle Bush Dia 24mm							
MERCEDES Actros, Axor								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51234	Front	2	90	900	900	58	M14	15260A

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


MERCEDES



Application	Replaces OE:							Bush Dia 19mm
MERCEDES Actros, Axor								
	9743200402							
	9743200502							
	9743202402							
	9743202502							
	9743204402							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51236	Front	2	80	860	940	60	M12	-

Application	Replaces OE:							8 x 4 1 st Steer Axle
MERCEDES Actros, Axor								
	9493201302							
	3753202702							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15250	Front	2+P	90	900	680	80	M14	15260A

Application	Replaces OE:							Bush Dia 24mm
MERCEDES Actros, Axor								
	9433200302							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15259	Front	3	90	900	900	78	M14	15260A

Application	Replaces OE:							Bush Dia 24mm
MERCEDES Actros, Axor								
	9443200202							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15445	Front	3	90	900	900	83	M14	15260A

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 8 x 4 1 st Steer Axle Bush Dia 24mm							
MERCEDES Actros, Axor								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51280	Front	3	90	900	680	79	M14	15260A

Application	Replaces OE: 8 x 4 2 nd Steer Axle Bush Dia 24mm							
MERCEDES Actros, Axor								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51281	Front	3	90	780	800	79	M14	15260A

Application	Replaces OE: Bush Dia 22mm							
MERCEDES Actros, Axor								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51282	Rear	2+1	80	850	850	103	M14	-

Application	Replaces OE: 4 x 2 6 x 4 8 x 4							
MERCEDES Actros, Axor								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15251	Rear	2+1	100	780	780	117	M18	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



TRUCK SPRINGS

MERCEDES, RENAULT



Application	Replaces OE: 9433200108							
MERCEDES Actros, Axor								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51278	Rear	2+1	100	900	885	99	M18	-

Application	Replaces OE: 9433200208							
MERCEDES Actros, Axor	 Bush Dia 24mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51233	Rear	3+1	100	900	885	127	M18	-

Application	Replaces OE: 9483201505 9483203105							
MERCEDES Actros, Axor								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51279	Rear	4	100	780	780	156	M18	-

Application	Replaces OE: 5010163272 5010163271							
RENAULT Midliner S	 Bush Dia 22mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51286	Front	2	70	787	945	53	M12	-

P - Packer; SP - Shocker Plate



www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 5010488231							Bush Dia 20mm
RENAULT Midlum I								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51290	Rear	1	70	800	800	39	M12	-

Application	Replaces OE: 5010383314							
RENAULT Midlum I								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51243	Rear	2	70	700	860	54	M12	-

Application	Replaces OE: 5010488154							Bush Dia 24mm
RENAULT Midlum I								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51244	Rear	2	70	697	860	64	M12	-

Application	Replaces OE: 5010267871							
RENAULT Midlum I, II								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51287	Front	1+P	70	870	870	62	M14	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



TRUCK SPRINGS

RENAULT



Application	Replaces OE: 5010557113 5010488599							Bush Dia 20mm
RENAULT Midlum I, II								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51297	Front	2	80	1000	1000	71	M14	-

Application	Replaces OE: 5010488232							
RENAULT Midlum I, II								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51291	Rear	2	70	800	800	64	M12	-

Application	Replaces OE: 5010557352 5010305377							Bush Dia 20mm
RENAULT Midlum I, II								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15254	Rear	2+1	80	900	1060	97	M12	-

Application	Replaces OE: 5010488353							
RENAULT Midlum I, II								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51292	Rear	2+1	80	900	1060	92	M12	-

P - Packer; SP - Shocker Plate



www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 5010488356							
RENAULT Midlum I, II								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51298	Rear	2+1	80	900	1060	119	M12	-

Application	Replaces OE: 5010294850 5430119475 5430122792							
RENAULT Kerax	 Bush Dia 28/20mm							
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51295	Front	3	90	820	820	84	M14	15260A

Application	Replaces OE: 5001848108 5010094676 5010383736							
RENAULT Kerax								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51285	Rear	9+P	100	790	790	235	M16	-

Application	Replaces OE: 5010383829							
RENAULT Premium I								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51289	Rear	2+1	90	905	1020	99	M16	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



TRUCK SPRINGS

RENAULT



Application	Replaces OE: 5010294113							Bush Dia 20mm
RENAULT Premium I Magnum I								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51288	Front	2	90	937	1093	66	M16	-

Application	Replaces OE: 5010600023							Bush Dia 24mm
RENAULT Premium I, II Magnum DXI								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51283	LHS	2	90	620	500	103	M16	-

Application	Replaces OE: 5010600024							Bush Dia 24mm
RENAULT Premium I, II Magnum DXI								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51284	RHS	2	90	620	500	103	M16	-

Application	Replaces OE: 5010557733							Bush Dia 24mm
RENAULT Premium II Magnum								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51293	Front	2	90	900	935	69	M16	-

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616




Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 5010630359							Bush Dia 24mm
RENAULT Premium II Kerax								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51294	Front	3	90	795	795	85	M16	-

Application	Replaces OE: 5010557734 7482225870							Bush Dia 24mm
RENAULT Premium II, Kerax								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15256	Front	2	90	900	935	74	M16	15289A, 15290A

Application	Replaces OE: 1377668 1377666 353174							No Inter Leaf Pads Bush Dia M28x4
SCANIA 3, 4 series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15203	Front	2	90	910	910	70	M14	15272A

Application	Replaces OE: 1300566 1377670 1767544 2137285							Bush Dia M28x4
SCANIA 3, 4 series R series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15230	Front	3	90	910	910	96	M14	15261A

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616






Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie





TRUCK SPRINGS


SCANIA



Application	Replaces OE: 1528206  Includes Inter Leaf Pads Bush Dia M28x4							
SCANIA 4 series, R series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
11877	Front	2	90	910	910	70	M14	15272A

Application	Replaces OE: 1376910 1421060  Bush Dia 30mm							
SCANIA 4 series, R series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15114	Rear LHS	2	100	707	410	97	-	15264A

Application	Replaces OE: 1376909 1421061  Bush Dia 30mm							
SCANIA 4 series, R series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15115	Rear RHS	2	100	707	410	97	-	15264A

Application	Replaces OE: 1353102 1377712 							
SCANIA 4 series, R series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15206	Rear	4	90	770	770	172	M14	15263A

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
 UK +44 (0) 1925 810 400
 NI +44 (0) 2890 740 055
 Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
 UK sales@granninglynx.com
 NI sales@granninglynx.co.uk
 Poland biuro@granning.ie



Application	Replaces OE: 1769877								Bush Dia 30mm
SCANIA R series									
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit	
				A	B				
15146	Rear LHS	2	100	714	405	97	-	15264A	

Application	Replaces OE: 1769878								Bush Dia 30mm
SCANIA R series									
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit	
				A	B				
15147	Rear RHS	2	100	714	405	97	-	15264A	

Application	Replaces OE: 20733617								Bush Dia 24mm
VOLVO FE series									
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit	
				A	B				
15256	Front	2	90	900	935	74	M16	-	

Application	Replaces OE: 20733615								Bush Dia 24mm
VOLVO FE series									
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit	
				A	B				
51238	Front	2	90	900	945	64	M16	-	

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



TRUCK SPRINGS

VOLVO



Application	Replaces OE: 20376158							Pin / Bush Dia 25 / 30mm
VOLVO FL series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15258	Front	6	100	900	900	107	M12	15267A

Application	Replaces OE: 3123973							
VOLVO FL series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15472	Front	2	80	900	900	64	M12	-

Application	Replaces OE: 6772833 6790821							
VOLVO FL series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15473	Front	1+P	80	900	900	59	M12	-

Application	Replaces OE: 257837 257871							
VOLVO FL, FM, FH series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15471	Rear	2+1	75	815	815	147	-	-

P - Packer; SP - Shocker Plate



www.airsprings.com





Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 257868  Threaded Bush Bush Dia M34x4							
VOLVO FM, FH series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15214	Front	3	100	795	795	79	M12	15269A

Application	Replaces OE: 257855  Threaded Bush Bush Dia M36x4							
VOLVO FM, FH series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15255	Front	2	100	990	900	66	M12	15269A

Application	Replaces OE: 257927, 257892  Rubber Bush Tractor & Rigid FRT Axle 8 x 4 1 st Steer Bush Dia 20mm							
VOLVO FM, FH series (2006-on)								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15384	Front	2	100	990	900	64	M12	15267A

Application	Replaces OE: 257859, 257890, 257928  Rubber Bush 8 x 4 2 nd Steer Bush Dia 20mm							
VOLVO FM, FH series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15385	Front	3	100	795	795	79	M12	15271A

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616





Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie




TRUCK SPRINGS

VOLVO



Application	Replaces OE: 257654							
VOLVO FM, FH series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15466	Rear	9	90	840	840	234	M12	15268A

Application	Replaces OE: 257659							
VOLVO FM, FH series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15467	Rear	9	76	840	840	228	M12	15268A, 15333A

Application	Replaces OE:					Threaded Bush		
VOLVO FM, FH series	257857					Rigid Vehicle		
						FRT Axle		
8 x 4 1 st Steer								
					Bush Dia			
					M34x4			
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15469	Front	2	100	990	900	70	M12	15269

Application	Replaces OE: 257879							
VOLVO FM, FH series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51237	Rear	2+1	75	815	815	157	-	15270A

P - Packer; SP - Shocker Plate



www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE: 20709199							Bush Dia 20mm
VOLVO FM, FH series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51297	Front	2	80	1000	1000	71	M14	-

Application	Replaces OE: 20717202							
VOLVO FM, FH series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51298	Rear	2+1	80	900	1060	119	M12	-

Application	Replaces OE: 257900							
VOLVO FH series								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
15474	Rear	2+1	76	815	815	155	M8	15270A

Application	Replaces OE: 3121088							Bush Dia M36 x4
VOLVO FS7								
Airsprings™ Part No	Pos.	No. of Leaves	Width (mm)	Dimensions (mm)		Total Leaf Thickness (H)	Centre Bolt	U-Bolt To Suit
				A	B			
51300	Rear	5	80	650	740	130	M12	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



TRUCK SPRINGS



TRUCK






TRAILER



A Granning Group Brand

Trailer Springs/




Contents

BPW	65
Fruehauf	66
Gigant.....	66
Granning	66
Meritor / ROR.....	68



A Granning Group Brand



Application	Replaces OE: 0508213880									
BPW										
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
15199	1	56	70	575	370	270	70	110	Ø30	-

Application	Replaces OE: 0508213890									
BPW										
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
15216	1	56	70	575	370	270	70	35	Ø30	-

Application	Replaces OE: 0508213882									
BPW	 									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
15236	1	56	70	575	370	270	70	110	Ø24	-

Application	Replaces OE: 0508213902									
BPW	 									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
15237	1	56	70	575	370	270	70	35	Ø24	-

P - Packer; SP - Shocker Plate

www.airsprings.com


Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616




Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie




TRAILER SPRINGS / BEAMS


FRUEHAUF, GIGANT, GRANNING




Application	Replaces OE:									
FRUEHAUF	CF152235 CF151878 UJA0895002 UJA0895003 UJB0332/001									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
15108	1	45	115	510	490	285	70	-	Ø24	11831A




Application	Replaces OE:									
FRUEHAUF	M001480 M045005 M045003 UJB0360C UJB0636A									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
15109	1	50	100	520	480	275	70	-	Ø30	13033A



Application	Replaces OE:									
GIGANT	639066									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
51245	1	43	100	415	435	-	-	-	Ø30	-




Application	Replaces OE:									
GRANNING	-									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
11901	1	30	100	525	120	-	-	-	-	13032A



P - Packer; SP - Shocker Plate

www.airsprings.com





Application	Replaces OE:									
GRANNING										
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
11380	1	52	100	525	503	297	100	-	Ø30	13032A, 13033A

Application	Replaces OE:									
GRANNING										
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
11381	1	52	100	525	503	297	100	-	Ø30	13032A, 13033A

Application	Replaces OE:									
GRANNING										
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
12135	1	52	100	525	510	290	100	100	Ø30	13032A, 13033A

Application	Replaces OE:									
GRANNING										
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
13028	1	48	100	525	460	320	100	110	Ø30	13032A, 13033A, 13145A

P - Packer; SP - Shocker Plate

www.airsprings.com


Ireland +353 (0) 45 875 996
 UK +44 (0) 1925 810 400
 NI +44 (0) 2890 740 055
 Poland +48 (0) 29 753 1616




Ireland sales@granning.ie
 UK sales@granninglynx.com
 NI sales@granninglynx.co.uk
 Poland biuro@granning.ie



TRAILER SPRINGS / BEAMS

GRANNING, MERITOR / ROR



Application	Replaces OE:									
GRANNING	-									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
12304	1	48	100	525	125	-	-	-	Ø30	13032, 13033

Application	Replaces OE:									
MERITOR / ROR	21017560									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
11876	1	43	75	572	650	-	-	-	-	-

Application	Replaces OE:									
MERITOR / ROR	21222247									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
15103	1	48	100	530	460	330	100	135	Ø30	13033A

Application	Replaces OE:									
MERITOR / ROR	21225499									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
15125	2	85	100	530	420	265	100	30	-	13032A

P - Packer; SP - Shocker Plate


www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



Application	Replaces OE:									
MERITOR / ROR	21224664									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
54089	1	48	100	530	460	330	100	135	Ø24	13033A

Application	Replaces OE:									
MERITOR / ROR	21227324									
Airsprings™ Part No	No. of Leaves	Total Leaf Thickness (H)	Width (mm)	Dimension (mm)				Drop (F) (mm)	Bush Details	U-Bolt To Suit
				A	B	C	D			
54223	1	48	100	530	450	320	100	-	Ø24	-

P - Packer; SP - Shocker Plate

www.airsprings.com



Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie



TRAILER SPRINGS / BEAMS



TRAILER

70

www.airsprings.com



Ireland	+353 (0) 45 875 996
UK	+44 (0) 1925 810 400
NI	+44 (0) 2890 740 055
Poland	+48 (0) 29 753 1616



Ireland	sales@granning.ie
UK	sales@granninglynx.com
NI	sales@granninglynx.co.uk
Poland	biuro@granning.ie

Cross-Reference List/



Contents

BPW	71
Citroen.....	71
Daf	71
Dennis.....	71
Fiat.....	71
Ford	71
Fruehauf	72
Gigant.....	72
Hino.....	72
Iveco.....	73
Jeep.....	73
Man.....	73
Mercedes	75
Meritor / ROR.....	75
Mitsubishi.....	75
Optare	75
Peugeot.....	75
Renault	75
Scania.....	76
Schomaecker	76
Toyota	78
Volvo.....	78
Volkswagen	78



BPW Part No	Airsprings™ Part No	Page No.
0508213880	15199	65
0508213890	15216	65
0508213882	15236	65
0508213902	15237	65
Citroen Part No	Airsprings™ Part No	Page No.
5102A8	51094	7, 8, 20
5102C0	51094	7, 8, 20
5102C1	51094	7, 8, 20
Daf Part No	Airsprings™ Part No	Page No.
1690222	11865	26
1401668	11866	23
1700738	11866	23
1406254	11868	25
1700737	11868	25
ACHF862	11868	25
AFRG965	11868	25
1409040	11869	23
1701430	11869	23
1401538	11870	23
1700730	11870	23
1401674	11871	23
1409820	11871	23
1700770	11871	23
AFRH465	11871	23
1401668HD	11966	24
1700738HD	11966	24
1426358	15240	26
1693875	15240	26
1377375	15399	26
1381683	15399	26
667199	15400	26
0371355	15400	26
1258691	15402	27
1279672	15403	28
667198	15405	27
672288	15405	27
1901921	15405	27
1405329	51220	25
1700731	51220	25
1700741	51221	24
1291234	51246	27
1382745	51247	25
1693877	51247	25

Daf Part No	Airsprings™ Part No	Page No.
1690223	51248	27
1901924	51248	27
1401525	51249	24
1700732	51249	24
1408984	51250	25
1700736	51250	25
AFRG963	51250	25
1405677	51251	24
1406446	51251	24
1700740	51251	24
AFRG959	51251	24
Dennis Part No	Airsprings™ Part No	Page No.
409768	15232	5
805958	15235	28
824538	15235	28
820500	15235	28
419392	51097	5
PDEF038	51097	5
419364	51110	5
27088801	51110	5
812379	51111	28
820499	51111	28
812380	51112	28
820498	51112	28
245987	51222	6
434557	51223	5
Fiat Part No	Airsprings™ Part No	Page No.
1350080080	51094	7, 8, 20
1365407080	51094	7, 8, 20
1329806080	51094	7, 8, 20
1350080080HD	51194	7, 8, 20
1310121080	51195	7, 8, 20
1311825080	51195	7, 8, 20
1310121080HD	51196	7, 8, 20
1311825080HD	51196	7, 8, 20
Ford Part No	Airsprings™ Part No	Page No.
1417366	11422	9
1684758	11422	9
1721808	11422	9
1788920	11422	9
6C115560YA	11422	9
6C115560YB	11422	9



Ford Part No	Airsprings™ Part No	Page No.
6C115560YC	11422	9
6C115560YD	11422	9
6C115560YE	11422	9
6C115560YF	11422	9
4123420	11423	9
4346111	11423	9
4346115	11423	9
4691801	11423	9
YC155560MJ	11423	9
YC155560MK	11423	9
YC155560UK	11423	9
YC155560UL	11423	9
YC155560VH	11423	9
1512417	11424	9
6C115560NA	11424	9
6C115560NB	11424	9
6C115560NC	11424	9
6C115560ND	11424	9
1486845	11425	11
6M345560EB	11425	11
UR7628L10B	11425	11
BK315560KE	11426	10
BK315560ME	11427	11
BK315560HE	11428	11
BK315560EE	11429	11
1351188	11430	12
1416189	11430	12
4097139	11430	12
UH7428L10A	11430	12
UH7428L10B	11430	12
UH7428L10C	11430	12
UH7428L10D	11430	12
XM345560BC	11430	12
XM345560BD	11430	12
XM345560BE	11430	12
AB395B669FH	11431	12
1512411	11872	10
1684754	11872	10
1721784	11872	10
6C115560GA	11872	10
6C115560GB	11872	10
6C115560GC	11872	10
6C115560GD	11872	10
6C115560GE	11872	10
6C115560GF	11872	10

Ford Part No	Airsprings™ Part No	Page No.
6C115560RC	11872	10
7328517	11880	9
73285517	11880	9
92VB5560GA	11880	9
95VB5560GA	11880	9
1684752	51095	10
1721782	51095	10
6C115560EA	51095	10
6C115560EB	51095	10
6C115560EC	51095	10
6C115560ED	51095	10
6C115560EE	51095	10
6C115560EF	51095	10
6C115560FA	51095	10
6C115560FC	51095	10
6C115560FE	51095	10
1512415	51096	10
1686726	51096	10
1721790	51096	10
6C115560HA	51096	10
6C115560HB	51096	10
6C115560HC	51096	10
6C115560HD	51096	10
6C115560HE	51096	10
6C115560HF	51096	10
6C115560FB	51096	10
6C115560FD	51096	10
6C115560FF	51096	10
Fruehauf Part No	Airsprings™ Part No	Page No.
CF151878	15108	66
CF152235	15108	66
UJA0895002	15108	66
UJB0332/001	15108	66
M001480	15109	66
M045003	15109	66
M045005	15109	66
UJB0360C	15109	66
UJB0636A	15109	66
Gigant Part No	Airsprings™ Part No	Page No.
639066	51245	66
Hino Part No	Airsprings™ Part No	Page No.
481100030	15381	29



Hino Part No	Airsprings™ Part No	Page No.
481100040	15382	29
482204911	15390	29
481207500	15394	30

Iveco Part No	Airsprings™ Part No	Page No.
500340499	11450	14
500389157	11450	14
504006739	11450	14
504279571	11450	14
93815209	11451	12
504048791	11451	12
504049624	11451	12
500313833	11452	13
500363955	11452	13
504119033	11452	13
504194170	11452	13
98401526	11453	30
99445128	11453	30
504067123	11453	30
500389147	11454	13
504015134	11454	13
504027746	11454	13
98401395	11455	30
99445125	11455	30
93809566	11456	13
504048792	11456	13
504049625	11456	13
504119087	11456	13
504131201	11456	13
500359935	11458	13
500364676	11458	13
500377687	11458	13
500359935HD	11459	14
500364676HD	11459	14
500377687HD	11459	14
504083608	11873	14
504083610	11873	14
504010276	15239	30
41213084	15241	34
08169109	15241	34
98413941	15242	33
504354073	15242	33
98474344	15243	31
500307747	15243	31
500372881	15243	31

Iveco Part No	Airsprings™ Part No	Page No.
504353909	15243	31
42126135	51224	34
42126922	51225	34
42126923	51225	34
41036073	51239	35
41213881	51239	35
41213904	51239	35
41284178	51239	35
41297740	51239	35
98407380	51240	31
99445132	51240	31
99445123	51241	31
08161628	51252	34
08189829	51253	33
98404951	51254	33
504354032	51254	33
93812312	51255	12
98616125	51255	12
98400436	51256	32
504352628	51256	32
98400441	51257	32
504354273	51257	32
98411894	51258	32
504350238	51258	32
98412125	51259	32
504354317	51259	32
504010273	51260	31
504354225	51263	33
04853848	51263	33

Jeep Part No	Airsprings™ Part No	Page No.
52000544MA	11878	14
4886186AB	11879	15
56022134MA	11879	15

Man Part No	Airsprings™ Part No	Page No.
81434026602	11895	41, 44
81434026603	11895	41, 44
81434026604	11895	41, 44
81434026681	11895	41, 44
81434026736	11895	41, 44
81434026739	11895	41, 44
81434026747	11895	41, 44
81434026752	11895	41, 44
81434026276	15238	42



Man Part No	Airsprings™ Part No	Page No.
81434026277	15238	42
81434026278	15238	42
81434026279	15238	42
81434026303	15238	42
81434026304	15238	42
81434026305	15238	42
81434026334	15238	42
81434026335	15238	42
81434026122	15244	38, 42
81434026611	15245	40, 44, 46
81434026612	15245	40, 44, 46
81434026613	15245	40, 44, 46
81434026641	15245	40, 44, 46
81434026740	15245	40, 44, 46
81434026755	15245	40, 44, 46
81434026625	15246	36
81434026626	15246	36
81434026627	15246	36
85434026037	15247	38
85434026038	15247	38
85434026040	15247	38
85434026047	15247	38
85434026054	15247	38
85434026034	15248	37
85434026035	15248	37
85434026039	15248	37
85434026049	15248	37
85434026055	15248	37
81434026053	15414	35
81434026056	15414	35
81434026142	51226	42
81434026143	51226	42
81434026144	51226	42
81434026145	51226	42
81434026622	51227	37
81434026623	51227	37
81434026624	51227	37
81434026683	51228	41, 45, 46
81434026203	51229	39, 43
81434026206	51229	39, 43
81434026207	51229	39, 43
81434026518	51230	38, 41
81434026529	51230	38, 41
81434026539	51230	38, 41
81434006906	51231	35

Man Part No	Airsprings™ Part No	Page No.
81434006992	51231	35
81434006994	51231	35
81434026533	51232	35
81434026519	51242	37
81434026555	51242	37
81434026175	51264	40, 44
81434026177	51264	40, 44
81434026179	51264	40, 44
81434026185	51265	39, 43, 45
81434026186	51265	39, 43, 45
81434026192	51265	39, 43, 45
81434026217	51265	39, 43, 45
81434026223	51265	39, 43, 45
81434026224	51265	39, 43, 45
81434026225	51265	39, 43, 45
81434026349	51265	39, 43, 45
81434026263	51266	40, 43
81434026264	51266	40, 43
81434026265	51266	40, 43
81434026311	51266	40, 43
81434026291	51267	40, 44
81434026292	51267	40, 44
81434026293	51267	40, 44
81434026346	51267	40, 44
81434026350	51267	40, 44
81434026525	51268	39, 43
81434026531	51268	39, 43
81434026541	51269	38, 41
81434026540	51270	39, 42
81434026544	51270	39, 42
81434026554	51270	39, 42
81434026576	51271	36
81434026577	51271	36
81434026695	51271	36
81434026696	51271	36
81434026697	51271	36
81434026698	51271	36
85434026002	51273	45, 46
85434026004	51274	36
85434026014	51274	36
85434026017	51274	36
85434026010	51275	36
85434026022	51275	36
85434026030	51275	36
85434026020	51276	37



MAN Part No	Airsprings™ Part No	Page No.
85434026021	51276	37
85434026029	51276	37
Mercedes Part No	Airsprings™ Part No	Page No.
9033200001	11408	15
9043200201	11409	15
9043200301	11409	15
9043200401	11409	15
9033200401	11410	15
9033200406	11411	16
9033200506	11411	16
9033200606	11460	16, 21
9033200706	11460	16, 21
9033201706	11462	16
9033201806	11463	16
9033200706HD	11464	17
9033201806HD	11465	17
9063200206	11466	17, 21
9063201706	11467	18
9063201706HD	11468	18
9063201806HD	11469	18
9063201806	11874	18
9043201606	11875	17
3753202702	15250	50
9493201302	15250	50
3753201005	15251	51
3753201605	15251	51
9483201705	15251	51
9483202205	15251	51
9703200702	15252	47
9703200802	15252	47
3753201002	15253	47, 49
0003200202	15253	47, 49
9703200706	15257	48
9703200806	15257	48
9433200302	15259	50
9443200202	15445	50
9433200208	51233	52
3753201702	51234	47, 49
0003200102	51234	47, 49
6673203702	51235	19
9743200402	51236	47, 50
9743200502	51236	47, 50
9743202402	51236	47, 50
9743202502	51236	47, 50

Mercedes Part No	Airsprings™ Part No	Page No.
9743204402	51236	47, 50
9433200108	51278	48, 52
9483201505	51279	49, 52
9483203105	51279	49, 52
3753202002	51280	48, 51
9493200202	51280	48, 51
9493200302	51281	48, 51
9743200206	51282	49, 51
9743200306	51282	49, 51
Meritor / ROR Part No	Airsprings™ Part No	Page No.
21017560	11876	68
21222247	15103	68
21225499	15125	68
21224664	54089	69
21227324	54223	69
Mitsubishi Part No	Airsprings™ Part No	Page No.
ADC48807	11890	19
MR353454	11890	19
353082	11891	19
MR267745	11891	19
MR353079	11891	19
MR353084	11891	19
MR448147	11891	19
ML103341	11894	19
Optare Part No	Airsprings™ Part No	Page No.
R5800002B	51115	6
L5900005	51116	6
Peugeot Part No	Airsprings™ Part No	Page No.
5102A8	51094	7, 8, 20
5102C0	51094	7, 8, 20
5102C1	51094	7, 8, 20
Renault Part No	Airsprings™ Part No	Page No.
5010305377	15254	54
5010557352	15254	54
5010557734	15256	57, 59
7482225870	15256	57, 59
5010383314	51243	53
5010488154	51244	53
5010600023	51283	56
5010600024	51284	56



Renault Part No	Airsprings™ Part No	Page No.
5001848108	51285	55
5010094676	51285	55
5010383736	51285	55
5010163271	51286	52
5010163272	51286	52
5010267871	51287	53
5010294113	51288	56
5010383829	51289	55
5010488231	51290	53
5010488232	51291	54
5010488353	51292	54
5010557733	51293	56
5010630359	51294	57
5010294850	51295	55
5430119475	51295	55
5430122792	51295	55
7700314662	51296	21
8200812456	51296	21
5010488599	51297	54, 63
5010557113	51297	54, 63
5010488356	51298	55, 63

Scania Part No	Airsprings™ Part No	Page No.
1528206	11877	58
1376910	15114	58
1421060	15114	58
1376909	15115	58
1421061	15115	58
1769877	15146	59
1769878	15147	59
1377666	15203	57
1377668	15203	57
0353174	15203	57
1353102	15206	58
1377712	15206	58
1300566	15230	57
1377670	15230	57
1767544	15230	57
2137285	15230	57

Schomaecker Part No	Airsprings™ Part No	Page No.
506310 00	11422	9
506910 00	11423	9
506490 00	11424	9
506350 00	11425	11

Schomaecker Part No	Airsprings™ Part No	Page No.
506310 00	11422	9
506910 00	11423	9
506490 00	11424	9
506350 00	11425	11
505170 00	11430	12
673500 00	11450	14
671830 00	11451	12
673470 00	11452	13
671270 00	11453	30
673730 00	11454	13
671190 00	11455	30
671990 00	11456	13
673550 00	11458	13
673550 66	11459	14
337150 00	11460	16, 21
337430 00	11462	16
337470 00	11463	16
337810 00	11466	16, 21
337950 00	11467	18
339610 00	11469	18
294230 00	11865	26
291410 00	11866	23
294210 00	11868	25
291490 00	11869	23
291460 00	11870	23
291430 00	11871	23
506190 00	11872	10
673890 00	11873	14
337370 00	11875	17
887599 00	11876	68
901400 00	11877	58
505790 00	11880	9
258850 00	11890	19
258844 00	11891	19
729290 00	11895	41, 44
887701 00	15103	68
236018 00	15108	66
236019 00	15109	66
901890 00	15114	58
901870 00	15115	58
887734 00	15125	68
902050 00	15146	59
902070 00	15147	59
881700 00	15199	65
901280 00	15203	57



Schmaeacker Part No	Airsprings™ Part No	Page No.
901750 00	15206	58
096580 00	15214	61
881702 00	15216	65
901160 00	15230	57
099089 00	15232	5
881701 00	15236	65
881705 00	15237	65
730280 00	15238	42
673099 00	15239	30
293440 00	15240	26
669840 00	15241	34
671590 00	15242	33
669340 00	15243	31
728440 00	15244	38, 42
729190 00	15245	40, 44, 46
729550 00	15246	36
730110 00	15247	38
730480 00	15248	37
338800 00	15250	50
338870 00	15251	51
338100 00	15252	47
338180 00	15253	47, 49
850105 00	15254	54
096620 00	15255	61
097520 00	15256	57, 59
850103 00	15256	57, 59
336870 00	15257	48
336820 00	15259	50
099835 00	15381	29
099834 00	15382	29
097120 00	15384	61
097140 00	15385	61
099836 00	15390	29
293420 00	15399	26
293850 00	15400	26
293280 00	15402	27
293720 00	15403	28
293050 00	15405	27
728100 00	15414	35
336900 00	15445	50
096350 00	15466	62
097030 00	15467	62
096660 00	15469	62
096290 00	15471	60
096600 00	15472	60

Schmaeacker Part No	Airsprings™ Part No	Page No.
096080 00	15473	60
096810 00	15474	63
674270 00	51094	7, 8, 20
673310 00	51094	7, 8, 20
506530 00	51095	10
506510 00	51095	10
506270 00	51096	10
673170 00	51195	7, 8, 20
293760 00	51220	25
294290 00	51221	24
671670 00	51224	34
671770 00	51225	34
728760 00	51226	42
729070 00	51227	37
729210 00	51228	41, 45, 46
729960 00	51229	39, 43
728770 00	51230	38, 41
728470 00	51231	35
728930 00	51232	35
336810 00	51233	52
338160 00	51234	47, 49
333569 00	51235	19
338440 00	51236	47, 50
096790 00	51237	62
097420 00	51238	59
671540 00	51239	35
671180 00	51240	31
671089 00	51241	31
728750 00	51242	37
850078 00	51243	53
850079 00	51244	53
271764 00	51245	66
293930 00	51246	27
293660 00	51247	25
294170 00	51248	27
294000 00	51249	24
294350 00	51250	25
294250 00	51251	24
669260 00	51252	34
671440 00	51253	33
671610 00	51254	33
673030 00	51255	12
671280 00	51256	32
671290 00	51257	32
671300 00	51258	32

www.airsprings.com


Ireland +353 (0) 45 875 996
UK +44 (0) 1925 810 400
NI +44 (0) 2890 740 055
Poland +48 (0) 29 753 1616



Ireland sales@granning.ie
UK sales@granninglynx.com
NI sales@granninglynx.co.uk
Poland biuro@granning.ie

[illegible]

78



79



80



A Granning Group Brand

Online Parts/ Catalogue/

visit www.airsprings.com

Airsprings Distributors

Granning UK/

Tel +44 (0) 1925 906 444 *Spring Centre*

Tel +44 (0) 1925 810 400 *General*

Fax +44 (0) 1925 857 085

Granning Ireland/

Tel +353 (0) 45 875 996

Fax +353 (0) 45 894 305

Granning NI/

Tel +44 (0) 2890 740 055

Fax +44 (0) 2890 752 718

Granning Poland/

Tel +48 (0) 29 753 1616

Fax +48 (0) 29 753 1604

Granning Export/

Tel +353 (0) 45 848 690

Fax +353 (0) 45 894 305